

Notice of Allowability

Application No.

10/619,252

Examiner

Jerry T. Rahl

Applicant(s)

LEE ET AL.

Art Unit

2874

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application received 14 July 2003.
2. ☒ The allowed claim(s) is/are 1-9.
3. ☒ The drawings filed on 14 July 2003 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.


5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


AKM ENAYET ULLAH
PRIMARY EXAMINER

Jerry T Rahl



DETAILED ACTION

Drawings

1. The drawings submitted have been reviewed and determined to facilitate understanding of the invention. The drawings are accepted as submitted.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Claims 1-9 are allowable. Claims 1-7 describe an apparatus for regenerating a distorted optical signal comprising an optical clock regeneration section, an optical signal sampling section that samples a distorted NRZ optical signal, an optical signal regenerating section and a RZ/NRZ conversion section that converts the reshaped optical signal into an NRZ optical signal. Claims 8-9 describes a method embodied by the described apparatus.

4. U.S Patent Application Publication 2004/0208610 to Grosz et al. describes an apparatus for regenerating a distorted optical signal comprising an optical clock regeneration section, an optical signal sampling section that samples a distorted NRZ optical signal and an optical signal regenerating section (see Paragraphs 22-29). Grosz et al. does not describe a RZ/NRZ conversion section that converts the reshaped optical signal into an NRZ optical signal.

5. U.S. Patent Application Publication 2004/0208610 to Grosz et al. remains the closest prior art of record in this application. For the reasons stated above, however, Claims 1-9 herein are deemed to patentably distinguish over Grosz et al. and all other prior art of record.

Art Unit: 2874

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patent No. 6,396,607 to Cao and U.S Patent Application Publication 2003/0169473 to Cotter et al. describe optical signal regenerating devices.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerry T. Rahll whose telephone number is (571) 272-2356. The examiner can normally be reached on M-Th (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Jerry T Rahll



AKM ENAYET ULLAH
PRIMARY EXAMINER